


Navigation and Ancillary Information Facility

"Comments" In SPICE Kernels

Also known as "meta-data"

March 2010



What are Comments?

Navigation and Ancillary Information Facility

- Comments are information that describe the context of kernel data, i.e. "data about data"
- Comments are provided as plain text (prose)
- Examples of comments:
 - Data descriptions
 - » "This file contains representations of the trajectories for bodies X, Y and Z over the interval from launch to landing"
 - Data accuracy
 - Data pedigree
 - » How and by whom was the kernel created
 - The program(s) and/or steps used in creation
 - Contact information for user's questions
 - email address
 - phone numbers
 - » Data sources used as inputs when creating the kernel
 - Intended kernel usage
 - Companion files
- In SPICE, we sometimes refer to "comments" as "meta-data"




- Binary kernels contain a reserved "comment" area to hold comments
- Text kernels have comments interleaved with the data
 - Comments may be placed at the beginning of the text kernel, before any data
 - Comments may be inserted between data using \begintext and \begindata as start and end markers:

\begintext

Some comments

\begindata

Some data



Adding Comments to Kernels

Navigation and Ancillary Information Facility

- Binary Kernels
 - Use the *commnt* utility program, available in the Toolkit
 - Include comment information at the time of kernel creation using SPICE APIs (subroutines)
 - » This capability is not yet available in Mice
- Text Kernels
 - Use a text editor
 - » Begin comment sections with the "\begintext" marker alone on a line
 - (The marker is not needed for comments placed at the beginning of a text kernel)
 - » End comment sections with a "\begindata" marker alone on a line
 - (The marker is not needed if there are no data following the comments)

Restrictions

- For both binary and text kernels
 - » Comment line length limit is 255 characters. However, NAIF recommends using no more than 80 characters per line as this makes your comments far more readable!
 - » Use only printing characters (ASCII 32 126)
 - » Manipulating binary kernel comments requires the kernel be in the native binary format for the machine being used
- For text kernels
 - » Refer to "Kernel Required Reading" (kernel.req) for details



Binary kernels:

- Use either the commnt or spacit utility program
 - » Both are available in all Toolkits

• Text kernels:

- Use any available text file utility, such as:
 - » more, cat, vi, emacs
 - » Notepad, TextEdit, BBEdit, Word, etc.



Navigation and Ancillary Information Facility

This example shows reading the comments

Terminal Window					
	Prompt> commnt -r de421.bsp more				
	DE 421 JPL Planetary Ephemeris SPK				
	Original file name: de421.bsp Creation date: Feb. 13, 2008 File created by: Dr. William Folkner (SSD/JPL) Comments added by: Nat Bachman (NAIF/JPL)				
• This SPK file was released on February 13, 2008 by the Solar Dynamics Group of JPL's Guidance, Navigation, and Control se					
	The DE 421 planetary ephemeris is described in JPL IOM 343R-08-002, dated Feb. 13, 2008. The introduction of that memo states, in part, that this ephemeris "represents an overall update for all				
	More				

Filename must include any required path and contain no more than 255 characters



Viewing Comments in Text Kernels

Navigation and Ancillary Information Facility

Terminal Window						
	<pre>prompt> more naif0008.tls</pre>					
	KPL/LSK					
	LEAPSECONDS KERNEL FILE					
	2005,	Aug. 3	- NJB	Modified file to account for the leapsecond that will occur on December 31, 2005.		
•	1998,	Jun 17	WLT	Modified file to account for the leapsecond that will occur on December 31, 1998.		
	1997,	Feb 22	WLT	Modified file to account for the leapsecond that will occur on June 30, 1997.		
	etc.					
	-More	e(19%)				