

Navigation and Ancillary Information Facility

Time Conversion and Time Formats

April 2016



Time Systems and Kernels

Navigation and Ancillary Information Facility

- Time inputs to and outputs from user's programs are usually **strings** representing epochs in these three time systems:
 - Ephemeris Time (**ET**, also referred to as Barycentric Dynamical Time, **TDB**)
 - Coordinated Universal Time (**UTC**)
 - Spacecraft Clock (**SCLK**)
- Time stamps in kernel files, and time inputs to and outputs from SPICE routines reading kernel data and computing derived geometry, are double precision **numbers** representing epochs in these two time systems:
 - Numeric Ephemeris Time (TDB), expressed as ephemeris seconds past J2000
 - Encoded Spacecraft Clock, expressed as clock ticks since the clock start
- **SPICE provides routines to convert between these string and numeric representations.**
- **A time string used as an argument in a SPICE API must be provided in quotes.**
 - Fortran, Matlab and IDL: use single quotes
 - C: use double quotes



Converting Time Strings

Navigation and Ancillary Information Facility


- **UTC, TDB, or TDT (TT) String to numeric Ephemeris Time**
 - **STR2ET (*string*, *ET*)**
 - » **Converts virtually any time string format known to the SPICE Time subsystem, excepting SCLK. For example:**
 - '1996-12-18T12:28:28' '1978/03/12 23:28:59.29' 'Mar 2, 1993 11:18:17.287 p.m. PDT'
 - '1995-008T18:28:12' '1993-321//12:28:28.287'
 - '2451515.2981 JD' 'jd 2451700.05 TDB'
 - '1988-08-13, 12:29:48 TDB' '1992 June 13, 12:29:48 TDT'
 - » **Requires the LSK kernel**
- **Spacecraft Clock String to numeric Ephemeris Time**
 - **SCS2E (*scid*, *string*, *ET*)**
 - » **Converts SCLK strings consistent with SCLK parameters. For example:**
 - '5/65439:18:513' (VGR1), '946814430.172' (MRO), '1/0344476949-27365' (MSL)
 - » **Requires a SCLK kernel and the LSK kernel**



Converting Numeric Times

Navigation and Ancillary Information Facility

- **Numeric Ephemeris Time to Calendar, DOY or Julian Date *UTC*, *TDB*, or *TDT* String**
 - **TIMOUT (*et*, *fmpic*, **STRING**)**
 - » *fmpic* is an output time string format specification, giving the user great flexibility in setting the appearance of the output time string and the time system used (*UTC*, *TDB*, *TDT*).
 - See the next slide for examples of format pictures to produce a variety of output time strings
 - See the TIMOUT header for complete format picture syntax
 - The module TPICTR may be useful in constructing a format picture specification from a sample time string
 - » Requires LSK Kernel
- **Numeric Ephemeris Time to Spacecraft Clock String**
 - **SCE2S (*scid*, *et*, **SCLKCH**)**
 - » Requires the LSK and a SCLK kernel
 - » Output SCLK string examples:
 - '1/05812:00:001' (Voyager 1 and 2)
 - '1/1487147147.203' (Cassini, MRO)
 - '1/0101519975.65186' (MEX, VEX, Rosetta)



Use of Time Format Picture

Navigation and Ancillary Information Facility

Example Time Strings and the Corresponding Format Pictures

Common Time Strings

Format Picture Used (*fmtpic*)

1999-03-21T12:28:29.702

YYYY-MM-DDTHR:MN:SC.###

1999-283T12:29:33

YYYY-DOYTHR:MN:SC ::RND

1999-01-12, 12:00:01.342 TDB

YYYY-MM-DD, HR:MN:SC.### ::TDB TDB

2450297.19942145 JD TDB

JULIAND.##### ::TDB JD TDB

Less Common Time Strings

Format Picture Used (*fmtpic*)

465 B.C. Jan 12 03:15:23 p.m.

YYYY ERA Mon DD AP:MN:SC ampm

04:28:55 A.M. June 12, 1982

AP:MN:SC AMPM Month DD, YYYY

Thursday November 04, 1999

Weekday Month DD, YYYY

DEC 31, 15:59:60.12 1998 (PST)

MON DD, HR:MN:SC YYYY (PST)::UTC-8



Additional Time Conversions

Navigation and Ancillary Information Facility

- **Numeric Ephemeris Time to Local Solar Time String**
 - ET2LST(*et*, *body*, *long*, *type*, HR, MN, SC, TIME, AMPM)
 - » Requires SPK (to compute *body* position relative to the Sun) and PCK (to compute *body* rotation) kernels
- **Numeric Ephemeris Time to planetocentric longitude of the Sun (*Ls*)**
 - LS = LSPCN (*body*, *et*, *abcorr*)
 - » While *Ls* is not a time system, it is frequently used to determine *body* season for a given epoch
 - LS = 0°, Spring
 - LS = 90°, Summer
 - LS = 180°, Autumn
 - LS = 270°, Winter
 - » The *Ls* calculation requires SPK and PCK kernels

} For the northern hemisphere



Principal Time System Interfaces

Navigation and Ancillary Information Facility

