


---

**Navigation and Ancillary Information Facility**

# **WebGeocalc**

**<http://wgc.jpl.nasa.gov:8080/webgeocalc>**

**April 2016**




# Overview

---


Navigation and Ancillary Information Facility

- **WebGeocalc (WGC) is useful in making space geometry computations using SPICE ancillary data**
  - See the next page for a graphic depicting “ancillary data”
  - For a description of SPICE, look here:  
<http://naif.jpl.nasa.gov/naif/aboutspice.html>
- **WGC provides a Graphical User Interface (GUI) to a SPICE server running a geometry computation engine**
  - Using WGC is easier than having to write your own program that incorporates some SPICE Toolkit software
  - But WGC computations are limited in scope: the tool cannot do near as much as an own-built program that uses SPICE Toolkit APIs




# What are Ancillary Data?

## Navigation and Ancillary Information Facility



- Reference frames
- Positions
- Orientations
- Sizes/shapes
- Instrument Pointing
- Time Conversions




Time Conversion Calculations



# Architecture

Navigation and Ancillary Information Facility

- **WGC uses a client-server architecture**
  - The user only needs a computer running a web browser
  - The browser connects via Internet to a WGC “computation engine” running on a server
    - » The WGC server has access to a variety of SPICE kernel files





# Using WebGeocalc

---

Navigation and Ancillary Information Facility

- **WGC makes it “easy” to do many kinds of SPICE computations**
  - You need not write a program using SPICE Toolkit software
  - Instead, open a web browser and use standard GUI widgets to:
    - » read a variety of HELP statements (if just learning to use WGC)
    - » select the computation desired
    - » select the data to be used in your computation
    - » specify the computation details
    - » press the “CALCULATE” button
  - Your results, possibly including some plots, appear in your browser window
- **There are a number of conditions under which WGC will not be able to fulfill your request**
  - See the Limitations and Errors pages at the end of this tutorial for some examples




# Purpose

---

Navigation and Ancillary Information Facility

- **WGC can support planetary science in several ways**
  - Help a user check his/her own SPICE-based program under development
  - Help a user check the validity of a SPICE data file (a “kernel”)
  - Help a user quickly solve a one-time space geometry problem
  - Allow those unable to write a SPICE-based program to nevertheless make some kinds of space geometry computations
  - Help a science data peer reviewer do spot checks of geometry parameters contained in an archive about to be submitted to an archive center



# Computations

---

Navigation and Ancillary Information Facility

- **Three categories of SPICE computations are possible**

## 1. Geometry Calculator

- » **Compute a parameter value at a given time, or over a time range**
  - Example: Compute the angular size of Phobos as seen from the SPIRIT Mars rover from 2009 March 10 12:00:00 to 2009 March 10 14:00:00


## 2. Geometric Event Finder

- » **Within a specified time bounds (the confinement window)...**
  - Find time intervals when a particular geometric condition exists
    - Example: Find time intervals when Phobos is occulted by Mars as seen from Mars Odyssey within the period 2010 June 01 to 2010 June 02
  - Find time intervals when a parameter is within a given range
    - Example: Find time intervals when the spacecraft altitude is between 300 and 400 km
  - Find time intervals when a parameter has reached a local or global maximum or minimum
    - Example: Find time intervals when the angular separation of a satellite from a planet, as seen from a spacecraft, has reached its minimum value

## 3. Time conversion calculator

- » **Convert between various time systems and time formats**

- **See the WGC “menu” on the next page for some details**



# Computation Menu\*

## Navigation and Ancillary Information Facility

### Geometry Calculator

<a href="#">State Vector</a>	Position and velocity of target relative to observer.
<a href="#">Angular Separation</a>	Angle between 2 targets as seen from an observer.
<a href="#">Angular Size</a>	Apparent size of a target as seen from an observer, as an angle.
<a href="#">Frame Transformation</a>	Transformation between 2 reference frames.
<a href="#">Illumination Angles</a>	Sunlight incidence, emission, and phase angles at a point on a target body as seen from an observer.
<a href="#">Sub-solar Point</a>	Sub-solar point on a target body as seen from an observer.
<a href="#">Sub-observer Point</a>	Closest point on a target body to an observer.
<a href="#">Surface Intercept Point</a>	Coordinates of the intercept point of a ray in a reference frame, as seen from an observer.
<a href="#">Orbital Elements</a>	Orbital parameters of a target body relative to a central observing body.

### Geometric Event Finder

<a href="#">Position Finder</a>	Find time intervals when target coordinate satisfies a condition.
<a href="#">Angular Separation Finder</a>	Find time intervals when the angle between 2 bodies, as seen by an observer, satisfies a condition.
<a href="#">Distance Finder</a>	Find time intervals when the distance between a target and observer satisfies a condition.
<a href="#">Sub-Point Finder</a>	Find time intervals when the sub-observer point on a target satisfies a condition.
<a href="#">Occultation Finder</a>	Find time intervals when a target is occulted by, or is in transit across, another body.
<a href="#">Surface Intercept Finder</a>	Find time intervals when the surface intercept of a ray in a reference frame satisfies a coordinate condition.
<a href="#">Target in Field of View</a>	Find time intervals when a target is within the field of view of an instrument.
<a href="#">Ray in Field of View</a>	Find time intervals when a specified ray is within the field of view of an instrument.

### Time Calculator


<a href="#">Time Conversion</a>	Convert time values from one time system to another.
---------------------------------	--






# Illustrations of Three Available Computations

Navigation and Ancillary Information Facility




Angular Size



The **GREEN** trace shows when the latitude of the instrument boresight surface intercept is greater than 30 degrees, within the time range  $T_{\text{start-search}}$  to  $T_{\text{stop-search}}$ .

Surface Intercept Event Finder



# Typical Geometry Calculator Input

Navigation and Ancillary Information Facility

## Angular Size

Calculate the angular size of a target as seen from an observer. [?](#)

Kernel selection:  [?](#)

Target:  [?](#)

Observer:  [?](#)

Aberration Correction

Light propagation:  None  To observer  From observer [?](#)

Light-time algorithm:  [?](#)

Stellar aberration:  Include stellar aberration correction [?](#)

Input Time

Time system:  [?](#)

Time format:  [?](#)

Input times:  Single time  Single interval  List of times  List of intervals

Start time:  [?](#)

Stop time:  [?](#)

Time step:   [?](#)


Plots

Time series plots:  Angular Size [?](#)

X-Y plots: X:  vs. Y:

Error handling:  [?](#)

- Compute the angular size of Phobos as seen from the Mars rover “SPIRIT” over a two hour period on 2009 March 10
- Use typical GUI drop-down menus, fill-in boxes, radio buttons and check boxes to specify the details of the computation you wish to make



# Typical Geometry Calculator Output

Navigation and Ancillary Information Facility

## Input Values

Calculation type	Angular Size
Target	PHOBOS
Observer	SPIRIT
Light propagation	No correction
Time system	UTC
Time format	Calendar date and time
Time range	2009 MAR 10 12:00:00 to 2009 MAR 10 14:00:00, step 1 minutes

← Summary of your input

*Angular size of Phobos as seen from the Mars rover "SPIRIT"*

## Tabular Results

Click a value to save it for a subsequent calculation.

	UTC calendar date	Angular Size (deg)
1	2009-03-10 12:00:00.000000 UTC	0.20212256
2	2009-03-10 12:01:00.000000 UTC	0.20294481
3	2009-03-10 12:02:00.000000 UTC	0.20377024
4	2009-03-10 12:03:00.000000 UTC	0.20459871
5	2009-03-10 12:04:00.000000 UTC	0.20543007
6	2009-03-10 12:05:00.000000 UTC	0.20626418
7	2009-03-10 12:06:00.000000 UTC	0.20710088
8	2009-03-10 12:07:00.000000 UTC	0.20794000
9	2009-03-10 12:08:00.000000 UTC	0.20878138
10	2009-03-10 12:09:00.000000 UTC	0.20962484
11	2009-03-10 12:10:00.000000 UTC	0.21047019
12	2009-03-10 12:11:00.000000 UTC	0.21131725
13	2009-03-10 12:12:00.000000 UTC	0.21216581
14	2009-03-10 12:13:00.000000 UTC	0.21301567


← Tabular results




# Typical Geometry Calculator Plot

Navigation and Ancillary Information Facility

- **Some Geometry Calculator computations offer optional plots**




***Angular size of Phobos as seen from the Mars rover "SPIRIT"***




# Another Geometry Calculator Plot

Navigation and Ancillary Information Facility

- **Some Geometry Calculator computations offer plots using other than time on the X axis**



***Mars Global Surveyor sub-point on Mars  
from 2008 JAN 1 00:10:00 to 2008 JAN 1 02:00:00***



# Typical Geometric Event Finder Input

## Navigation and Ancillary Information Facility

### Occultation Event Finder

Find time intervals when an observer sees one target occulted by, or in transit across, another. [?](#)

Kernel selection:  [?](#)

Occultation type:  Any  Full  Annular  Partial [?](#)

Front body:  [?](#)

Front body shape:  Point  Ellipsoid [?](#)

Front body frame:  [?](#)

Back body:  [?](#)

Back body shape:  Point  Ellipsoid [?](#)

Back body frame:  [?](#)

Observer:  [?](#)

#### Aberration Correction

Light propagation:  None  To observer  From observer [?](#)

Light-time algorithm:  [?](#)

#### Input Time

Time system:  [?](#)

Time format:  [?](#)

Input times:  Single interval  List of intervals


Start time:  [?](#)

Stop time:  [?](#)

Time step:   [?](#)

Output time units:  seconds  minutes  hours  days [?](#)

- Find the times when Phobos is occulted by Mars as viewed from the Mars Odyssey spacecraft, during the period 2010 JUN 01 to 2010 JUN 02
- Use typical GUI drop-down menus, fill-in boxes, radio buttons and check boxes to specify the details of the computation you wish to make



# Typical Geometric Event Finder Output

## Navigation and Ancillary Information Facility

### Input Values

Calculation type	Occultation Event Finder
Occultation type	Any
Front body	MARS
Front body shape	Ellipsoid
Front body frame	IAU_MARS
Back body	PHOBOS
Back body shape	Ellipsoid
Back body frame	IAU_PHOBOS
Observer	MARS ODYSSEY
Light propagation	No correction
Time system	UTC
Time format	Calendar date and time
Time range	2010 JUN 01 to 2010 JUN 02, step 1 minutes
Output time units	minutes

← Summary of your input

*When is Phobos occulted by Mars as seen from Mars Odyssey?*


### Tabular Results

Click a value to save it for a subsequent calculation.

Save All Intervals

	Start Time	Stop Time	Duration (mins)
1	2010-06-01 00:04:26.021732 UTC	2010-06-01 00:51:10.264641 UTC	46.737381
2	2010-06-01 01:24:29.613301 UTC	2010-06-01 02:00:24.470706 UTC	35.914290
3	2010-06-01 03:03:10.407364 UTC	2010-06-01 03:57:18.126849 UTC	54.128658
4	2010-06-01 06:01:49.736199 UTC	2010-06-01 06:55:34.722424 UTC	53.749770
5	2010-06-01 07:58:43.095947 UTC	2010-06-01 08:39:21.182114 UTC	40.634769
6	2010-06-01 09:10:48.846727 UTC	2010-06-01 09:54:44.492005 UTC	43.927421
7	2010-06-01 10:57:18.630420 UTC	2010-06-01 11:50:49.343214 UTC	53.511879
8	2010-06-01 13:55:36.186600 UTC	2010-06-01 14:49:37.827064 UTC	54.027341
9	2010-06-01 15:53:04.642891 UTC	2010-06-01 16:24:27.068718 UTC	31.373763
10	2010-06-01 17:00:06.149085 UTC	2010-06-01 17:48:55.474342 UTC	48.822087
11	2010-06-01 18:51:22.462322 UTC	2010-06-01 19:43:35.637833 UTC	52.219591
12	2010-06-01 20:25:04.806659 UTC	2010-06-01 20:44:18.076413 UTC	19.221162
13	2010-06-01 21:49:30.099608 UTC	2010-06-01 22:43:34.010176 UTC	54.065176

← Tabular results




# Typical Geometric Event Finder Plot

Navigation and Ancillary Information Facility

- **Geometric Event Finder computations all produce “plots” of the time intervals that satisfy your search computations**


Click and drag to zoom, shift-click and drag to pan. Double-click or use button to reset zoom level.

## Occultation Finder Time Interval Plot



***Between June 1, 2010 and June 2, 2010, find times when Phobos is occulted by Mars, as viewed from the Mars Odyssey spacecraft***





# First Example of Time Conversion

Navigation and Ancillary Information Facility

## Time Conversion

Convert times from one time system or format to another. ? ▶

Kernel selection:  ? ▶

Input Time

Time system:  ? ▶

Time format:  ? ▶

Input times:  Single time  Single interval  List of times  List of intervals

Time:  ? ▶

Output Time

Time system:  ? ▶


Time format:  ? ▶

Custom format:  ? ▶

- UTC
- TDB
- TDT
- Spacecraft clock

- Calendar (year/month/day)
- Calendar (year/day-of-year)
- Julian date
- Seconds past J2000

The output is:  
2455630.500000000 JD UTC



# Second Example of Time Conversion

Navigation and Ancillary Information Facility

## Time Conversion

Convert times from one time system or format to another. [?](#)

Kernel selection: Mars Reconnaissance Orbiter [?](#)

**Input Time**

Time system: UTC [?](#)

Time format: Calendar date and time [?](#)

Input times:  Single time  Single interval  List of times  List of intervals

Start time: 2011 MAR 10 [?](#)

Stop time: 2011 MAR 11 [?](#)

Time step: 20 minutes [?](#)

- UTC
- TDB
- TDT
- Spacecraft clock

- Calendar (year/month/day)
- Calendar (year/day-of-year)
- Julian date
- Seconds past J2000

**Output Time**


Time system: UTC [?](#)

Time format: Julian date [?](#)

Custom format:  [?](#)

The output is:

2011-03-10 00:00:00.000000 UTC	2455630.500000000 JD UTC
2011-03-10 00:20:00.000000 UTC	2455630.513888900 JD UTC
2011-03-10 00:40:00.000000 UTC	2455630.527777800 JD UTC
2011-03-10 01:00:00.000000 UTC	2455630.541666700 JD UTC
etc.	etc.



# Third Example of Time Conversion

Navigation and Ancillary Information Facility

## Time Conversion

Convert times from one time system or format to another. [?](#)

Kernel selection:  [?](#)

**Input Time**

Time system:  Spacecraft clock ID:  [?](#)

Time format:  [?](#)

Input times:  Single time  Single interval  List of times  List of intervals

Time:  [?](#)

**Output Time**

Time system:  [?](#)


Time format:  [?](#)

Custom format:  [?](#)

**Spacecraft clock string  
Spacecraft clock ticks**

**Calendar (year/month/day)  
Calendar (year/day-of-year)  
Julian date  
Seconds past J2000  
Custom format**

**The output is:  
2011-06-20 00:00:00.044032 UTC**



# Categories of Available Data

---

Navigation and Ancillary Information Facility

- **As of April 2016 only the JPL/NAIF Group is operating a WGC server**
  - This server provides access to three categories of SPICE data (kernels)
    - » **Generic** SPICE data, not specifically tied to a single planetary mission
    - » **Archived** SPICE data, from planetary missions that have been formally ingested into NASA's Planetary Data System
      - This includes a few non-NASA missions for which NAIF provides a shadow archive
    - » **Operations** SPICE data, for JPL-operated planetary missions, for three ESA planetary missions, and for a few past missions for which an archive does not exist
      - This category often includes some predictive data
      - This category is the most difficult to use because...
        - there are no meta-kernels for these collections
        - there is sometimes a large number of kernels from which you must choose the ones needed
        - there is little readily available information to help you make your kernel choices
  - **VERY IMPORTANT:** Read the “*About the data*” text provided within the tool for details



# Kernel Selection

## Navigation and Ancillary Information Facility

### Angular Size

Calculate the angular size of a target as seen from an observer. ?>

Kernel selection: ?>

Target:

Observer:

Aberration Correction:

Light propagation:

Light-time algorithm:

Stellar aberration:

Input Time:

Time system:

Time format:

Input times:

Start time:

Stop time:

Time step: 1 minutes ?>

Manual

List of intervals

Kernel selection menu items:

- Solar System Kernels
- Latest Leapseconds Kernel
- Latest Planetary Constants Kernel
- Ground Stations Kernels
- Cassini Huygens
- Clementine
- Dawn
- Deep Impact (Primary mission)
- Deep Impact (EPOXI mission)
- Deep Space 1
- GRAIL
- Hayabusa
- Lunar Reconnaissance Orbiter
- MER1 Rover (Opportunity)
- MER2 Rover (Spirit)
- MESSENGER
- Mars Express
- Mars Global Surveyor
- Mars Odyssey

A scrollable drop-down menu is used to select the kernel set(s) to be used in your calculation.

- Use the menu to select:
- generic kernel sets
  - archived mission kernel sets (includes relevant generic kernels)
  - manual selection of individual kernels from operations collections

Plots:  Angular Size ?>

Error handling: Stop on error ?>

WebGeocalc



# “Tooltip” Feature

## Navigation and Ancillary Information Facility

### Angular Size

Calculate the angular size of a target as seen from an observer. ?>

Kernel selection: MER2 Rover (Spirit) ?>

Target: Solar System Kernels  
Latest Leapseconds Kernel  
Latest Planetary Constants Kernel  
Ground Stations Kernels  
Cassini Huygens  
Clementine

Observer: Dawn  
Deep Impact (Primary mission)  
Deep Impact (EPOXI mission)  
Deep Space 1  
GRAIL  
Hayabusa  
Lunar Reconnaissance Orbiter  
MER1 Rover (Opportunity)

Aberration Correction: MER2 Rover (Spirit) ?>

Light propagation: MESSENGER

Light-time algorithm: Mars Express  
Mars Global Surveyor  
Mars Odyssey

Stellar aberration:

Input Time

Time system:

Time format:

Input times: of times  List of intervals

Start time: 2009 MAR 10 12:00:00 ?>

Stop time: 2009 MAR 10 14:00:00 ?>

Time step: 1 minutes ?>

Plots:  Angular Size ?>

Error handling: Stop on error ?>


Calculate

If you hover your **cursor** over a kernel set name, some information about the kernel set will appear—for example, dates covered by the data.

Archived MER2 kernels covering from 2003-06-10 to 2010-05-03

You can hover over the kernel set name in the “Kernel selection” menu, or in the “Kernels Selected” panel.

Unfortunately this feature is **not** available for “Manual” kernel selection.



# Auto-complete Feature


Navigation and Ancillary Information Facility

- If you select any kernel set(s) other than “Manual”, many of the input widgets will be supplied with the names of all available selections.
  - Just start typing the name you want and all items matching what you typed will appear in a drop down menu
  - Alternatively, simply type a “blank” and all items available within the kernel set(s) you selected will appear
- In the example below, using the Cassini Huygens archive, the user has typed “mi” in the “Target” selection box. The names of the three objects containing those letters are displayed for the user’s selection. (All three are satellites of Saturn.)

Kernel selection:  ?▶

Target:  ?▶

BERGELMIR  
MIMAS  
YMIR



# Downloading Results

---

Navigation and Ancillary Information Facility

- **You can download tabular results to your computer by clicking the “Download Results” button, then selecting the format desired:**
  - Excel
  - Comma separated values
  - Plain text
  
- **You can download any plots by clicking on the “Download Plot” button**
  - Plots are saved in PNG format with a transparent background
    - » Easily pasted into a document or presentation






# Saving Results for Use as New Inputs

---

Navigation and Ancillary Information Facility


- **You can save a numeric output, or an event finder interval start or stop time, by clicking on the value**
  - The saved value will appear in a “Saved Values” panel on the right side of your browser window
  - This value can then be dragged to an input widget in a subsequent calculation
  
- **You can save a complete set of event finder output interval start and stop times by clicking the “Save All Intervals” button**
  - These can then be used as part of the input for a subsequent geometric event finder computation if you select “List of intervals” for the “Input times” selection



# Getting Help

---

Navigation and Ancillary Information Facility

- **WGC users must read the “*About the Data*” web page to understand the kinds of SPICE kernels (data) available to the WGC tool**
- **Most GUI controls have associated HELP text, available by clicking the  icon**
- **Most computation descriptions have an associated graphic depicting one or more examples of what may be computed**
- **Some GUI controls have a second-level, more extensive help description, available by clicking the “Read more...” text displayed in the first level help**
- **The NAIF Team has limited ability and authorization to provide individual help**
  - **Make good use of the HELP panels and other documentation included in WGC**
  - **Look at the SPICE tutorials and documentation available on the NAIF website**
    - » <http://naif.jpl.nasa.gov>